09/334040

L Number	Hits	Search Text	DB	Time stamp
-	4012	"t1" same "e1"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 17:08
-	10	rj adj "48"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 17:26
-	841	bnc adj connector$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 17:13
-	4	(bnc adj connector$1) same "e1"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 17:13
-	29	rj48	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 17:28
-	91	unused adj contact	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 17:31
-	66	((unused or redundan$2 or extra or save$1) adj contact) with connector$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 12:23
-	1617365	fram$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/10 13:31
-	122	("t1" same "e1") same framer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/10 13:33
-	475	(("e1" with "t1") same fram$3) not (("t1" same "e1") same framer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/10 13:33

-	194	((unused or redundan$2 or extra or save$1) adj (connect$3 or pin)) same volt$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 20:08
-	47	e1 same unbalanced	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 13:44
-	1957	bnc	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 14:43
-	4	bnc with e1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 14:44
-	3098	"e1" with "t1"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 18:25
-	116	("e1" with "t1") with detect$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 20:19
-	44	("e1" with "t1") with monitor$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 19:29
-	23	("e1" with "t1") with identif$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 18:54
-	97	("e1" with "t1") with indicat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 19:16
-	41	("e1" with "t1") with sens$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 19:30

-	85	("e1" with "t1") with determin$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/11 20:19